### Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	<u>LUFF</u>	LEECH	<u>FOOT</u>	Score ID NO.	
H2478 Jib	o, cross cut dacron, hanks/wire luff, good condition	3.40	2.80	1.70	8	H2478
H2009 Jib	o, cross cut dacron, 5mm luff, good condition	3.50	2.60	1.65	7	H2009
H2337 Jib.	o, tan cross cut dacron, set for hanks, good condition	3.53	3.00	1.80	7	H2337
H2648 Jib.	o, mitre cut, hanks, fair condition	4.00	3.40	1.63	5	H2648
H1805 Jib	o, cross cut dacron, 8mm luff tape, fair shape and condition	4.10	4.20	2.70	6	H1805
H1836 Ge	enoa, cross cut dacron, 6mm luff tape, Blue UV to port, fair condition and good shape	4.15	3.80	2.20	6	H1836
H1803 Jib.	o, cross cut dacron, wire luff, good condition and shape	4.27	3.72	1.80	7	H1803
H2330 Hea	eavy weather jib, cross cut dacron, 4mm luff, fair condition	4.30	3.55	2.35	6	H2330
H1995 Jib.	o, cross cut dacron, wire luff, fair shape and condition	4.35	4.00	1.65	6	H1995
H2543 Jib.	o, cross cut dacron, wire/hanks, fair condition	4.54	4.25	2.10	6	H2543
H2544 Jib.	o, cross cut dacron, wire/hanks, good condition	4.57	4.25	2.10	8	H2544
H2436 Jib.	, mitre cut dacron, hank/wire, good condition	4.60	4.25	2.60	5	H2436
H2098 Jib.	o, vertical cut dacron, 6mm luff, Blue UV to port, good condition and shape	4.72	3.55	2.20	7	H2098
H2553 Jib.	o, cross cut dacron, wire/hanks, fair condition	5.10	4.10	2.85	5	H2553
H2397 Jib.	, Tan mitre cut dacron, hanks, good condition	5.13	3.66	2.45	7	H2397
H1883 Jib	, mitre cut dacron, hank/wire, good condition	5.17	3.66	2.50	7	H1883
H2392 Jib.	o, cross cut dacron, hanks, fair condition	5.30	5.10	2.70	5	H2392
H2430 Ge	enoa, cross cut dacron, hanks, fair condition	5.40	4.60	2.85	6	H2430
H2408 Jib	o, cross cut dacron, hanks, fair condition	5.53	5.04	2.10	5	H2408
H2125 Jib	o, cross cut, hanks, good condition	5.60	4.90	2.61	7	H2125
H2353 Jib	o, cross cut hard finish dacron, poppers on luff, good condition	5.60	4.70	2.20	7	H2353
	o, mitre cut dacron, wire luff, fair condition	5.90	5.65	3.05	5	H2407
H2323 Ge	enoa, cross cut dacron, hanks, fair condition	6.06	5.26	2.90	6	H2323
	, mitre cut dacron, hank/wire, good condition	6.10	5.20	2.80	8	H2577
	o, cross cut dacron, wire/hanks, fair condition	6.10	4.84	2.58	7	H2124
H2358 Jib	o, cross cut dacron, hanks, fair condition	6.10	5.20	2.90	6	H2358
H2044 Wo	orking Jib, cross cut dacron, 6mm luff, fair condition and shape	6.14	4.35	2.83	6	H2044
	wk 20 Jib, cross cut dacron, wire luff, blue UV to port, fair condition	6.28	5.80	2.44	6	H2541
H2451 Ge	enoa, cross cut dacron, 5mm luff, fair condition	6.30	4.77	3.54	7	H2451
	, mitre cut dacron, hanks, fair condition	6.30	4.95	2.20	5	H2545
H1851 Jib	, mitre cut dacron, good condition & shape	6.33	4.89	3.03	7	H1851
H2593 Ge	enoa, tan cross cut dacron, hanks, good condition	6.35	6.08	2.90	8	H2593
H2549 Ge	enoa, mitre cut dacron, 5mm luff, blue UV to stbd	6.36	4.56	3.10	7	H2549
	enoa, cross cut cream dacron, 7mm luff, cream UV to port	6.40	5.80	3.10	8	H2486
	enoa, cross cut dacron, hanks, fair condition	6.53	5.90	2.40	5	H2496
H2628 Ge	enoa, mitre cut dacron, hanks, fair condition	6.55	6.10	3.45	5	H2628
	o, red cross cut dacron, hanks, fair condition	6.60	6.20	2.10	5	H2338
	enoa, cross cut dacron, hanks, fair condition	6.70	6.00	2.65	5	H2647
	eavy weather jib, cross cut dacron, hanks, fair condition	6.80	5.50	3.15	5	H2329
	aysail, cross cut dacron, fair condition and shape	6.84	4.53	3.58	6	H1783
<b>H2532</b> Wo	orking Jib, cross cut dacron, 5mm luff, 1 reef, fair condition	6.86	6.00	2.90	7	H2532

### Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	<u>LUFF</u>	<b>LEECH</b>	<b>FOOT</b>	Score ID	NO.
H2584 Jib, mitre cut	dacron, hank/wire, good condition	6.90	5.80	2.10	6 <b>H</b> :	2584
	t dacron, 4mm luff, fair condition	6.97	5.80	3.23	6 H:	12021
H2552 Jib, cross cu	t dacron, wire/hanks, fair condition	7.00	6.60	3.30	5 H:	12552
H1885 Jib, mitre cut	blue dacron, hanks/wire, fair condition and shape	7.00	5.91	2.76	6 H	11885
H2411 Jib, cross cu	t tan dacron, 4mm luff, tan UV to stbd, good condition	7.02	6.00	2.60	6 H	12411
H1999 Jib, cross cuf	t dacron, HF, wire/hanks luff, good condition and shape	7.05	6.47	2.43	7 <b>H</b>	1999
H2443 Jib, mitre cut	dacron, hanks, fair condition and shape	7.10	5.80	3.10	5 H:	12443
H2469 Genoa, cross	s cut dacron, hanks, 1 reef, fair condition	7.10	7.05	4.10	5 H:	12469
H2637 Heavy Jib, cr	ross cut dacron, Hanks, fair condition	7.10	6.40	2.20	7 <b>H</b> :	2637
H2551 Jib, cross cu	t dacron, 5mm luff with grommets, fair condition	7.30	6.50	2.30	6 H	12551
H2629 Jib, mitre cut	dacron, hanks, good condition	7.35	5.60		8 H:	12629
	cross cut dacron, hanks, good condition	7.42	6.20	3.90	8 <b>H</b> :	2625
	s cut dacron, hanks, fair condition and shape	7.45	7.15	2.93	6 <b>H</b> :	12603
	s cut dacron, hanks, good condition	7.55	6.05	3.90	6 H:	12661
H2604 Genoa, cross	s cut dacron, hanks, fair condition and shape	7.60	7.70	3.55	7 <b>H</b> :	2604
H2582 Genoa, mitre	cut dacron, hanks, fair condition	7.70	7.50	3.85	6 <b>H</b> :	2582
H2406 Genoa, mitre	cut dacron, 8mm luff, fair condition	7.86	8.73	5.95	5 H:	12406
H2546 Light airs ger	noa, cross cut nylon, hanked luff, fair condition	8.00	7.90	5.10	6 H:	12546
H2401 Genoa, cross	s cut dacron, set for hanks, fair condition and shape	8.00	8.25	4.20	6 <b>H</b> :	2401
	e cut dacron, hanks, good condition	8.05	6.80	3.60	7 H:	12398
	t dacron, 7mm luff, blue UV to port, good condition	8.05	6.80	2.50	7 H:	12399
	s cut dacron, 5mm luff, tan UV to port, good condition	8.30	6.80	2.90	6 H:	12290
H1874 Genoa, vertic	cal cut dacron, 5mm luff tape, fair condition and shape	8.34	7.77	2.70	6 <b>H</b>	1874
H2578 Jib, cross cu	t dacron, 6mm luff, fair condition	8.36	7.45	2.35	6 <b>H</b> :	2578
H2391 Genoa, cross	s cut dacron, 5mm luff, blue UV to port, good condition	8.40	7.90	3.26	9 <b>H</b> :	2391
	dacron, luff slides, fair condition and shape	8.40	7.80	4.00	7 <b>H</b> :	2601
H2583 Heavy weath	ner jib, mitre cut dacron, hanks/wire, fair condition	8.50	7.30	2.70	6 <b>H</b> :	2583
	s cut dacron, hanks, fair condition	8.90	7.90	4.30	7 <b>H</b> :	12611
H2550 Jib, cross cu	t dacron, wire/hanks, fair condition	8.95	7.40	3.40	5 <b>H</b> :	2550
H2615 Genoa, cross	s cut dacron, 5mm luff, blue UV to port, fair condition *	9.00	8.60	4.50	5 <b>H</b> :	12615
	s cut dacron, hanks, good condition and shape	9.00	8.20	4.10	7 <b>H</b> :	2394
	t dacron, uv strip, wire luff, good condition and shape	9.03	7.68	2.58	7 <b>H</b>	1658
H2175 Genoa, cross	s cut dacron, uv strip, 5mm luff tape	9.05	8.45	3.53	6 <b>H</b> :	2175
H2617 Genoa, mitre	cut dacron, fair condition	9.06	8.90	4.50	6 <b>H</b> :	2617
H2592 Genoa, cross	s cut dacron, 5mm luff, white UV to stbd, fair condition	9.18	8.65	4.50	7 <b>H</b> :	2592
H2590 Genoa, cross	s cut dacron, 7mm luff, burgundy UV to port, fair condition	9.20	8.20	5.20	7 <b>H</b> :	2590
	s cut, hanks, fair shape and condition	9.20	8.80	4.78	5 <b>H</b> :	2344
	t dacron, hanks, fair condition	9.20	8.68	2.60		2359
,	ss cut dacron, 5mm luff, good condition	9.20	7.70	4.30		2643
	No.1, cross cut dacron, hanks, fair condition	9.30	9.15	4.40		2591
	s cut dacron, hanks, fair condition	9.35	8.95	5.30		2585
	s cut dacron, 6mm luff, burgundy UV to port, fair condition	9.38	8.20	5.20		12660

### Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	<u>LUFF</u>	<u>LEECH</u>	<b>FOOT</b>	<u>Score</u>	ID NO.
H2379	Genoa, Lt weight, mitre cut dacron, hanks, fair condition	9.40	9.30	5.10	6	H2379
	Jib, cross cut dacron, hanks, fair condition	9.40	7.70	4.30	6	H2498
H2509	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	9.40	8.70	4.70	6	H2509
H2468	Jib/No.3, cross cut dacron, 6mm luff, fair condition.	9.46	8.20	2.90	7	H2468
	No.3, hanked, fair condition	9.52	9.05	4.20	5	H1439
H2536	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	9.57	8.90	3.75	7	H2536
H2393	Genoa, cross cut dacron, hanks, good condition and shape	9.68	9.30	4.55	7	H2393
H2624	Genoa, cross cut dacron, hanks, good condition	9.77	9.20	4.60	8	H2624
H2428	Genoa, cross cut dacron, 5mm, fair condition	9.78	9.40	4.80	6	H2428
H2308	Genoa, cream cross cut dacron, fair condition	9.80	8.80	4.20	7	H2308
H2586	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, very good condition	9.85	9.10	5.00	9	H2586
H2668	Genoa, cross cut dacron, 6mm luff, new blue UV to port, good condition	9.88	8.80	4.03	7	H2668
H2631	Heavy genoa, mitre cut dacron, hanks, fair condition	9.90	8.05	5.50	6	H2631
	Light No.1 Genoa, mitre cut dacron, 5.5mm luff tape, fair condition	10.00	10.10	5.65	5	H2563
H1043	Yankee, cross cut blue dacron, hanks, fair condition and shape	10.05	7.00	4.75	7	H1043
H2572	Genoa, cross cut dacron, 5mm luff, fair condition	10.15	9.20	4.90	7	H2572
H2600	Genoa, mitre cut dacron, luff slides, fair condition	10.18	9.50	4.95	6	H2600
H2618	Jib, cross cut dacron, fair condition	10.37	10.15	2.00	6	H2618
H2645	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	10.39	10.10	5.95	5	H2645
H2597	Jib, mitre cut dacron, hanks, fair condition	10.40	8.80	4.00	6	H2597
H2558	Genoa, cross cut dacron, 5mm luff, 1 reef, fair condition *	10.45	9.65	4.80	5	H2558
H2638	Genoa, mitre cut, 5mm luff, Blue UV to port, fair condition	10.55	9.80	6.07	7	H2638
H2529	Yankee, cross cut dacron, 5mm luff, blue UV to port, good condition	10.57	8.83	4.40	8	H2529
	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, foam luff, fair condition	10.60	10.10	4.96	6	H2420
	Genoa, cross cut dacron, 6mm luff, fair condition	10.62	10.10	5.70	7	H2571
	Genoa, cross cut dacron, 5mm luff, good condition	10.65	9.92	5.20	8	H2644
	Genoa, cross cut square dacron, 5mm luff, UV to stbd, good condition	10.70	10.19	4.90	8	H2465
	Heavy genoa, high cut mitre cut dacron, hanks, fair condition	10.73	9.20	5.05	7	H2639
	Jib, cross cut dacron, New blue UV to stbd, fair condition	10.84	10.00	3.70	6	H2627
H2526	Jib, Heavy weather cross cut dacron, hanks, fair condition	10.84	8.60	4.00	6	H2526
H2662	Genoa, cross cut dacron, 7mm luff, blue UV to port, fair condition	10.87	10.60	5.60	6	H2662
H2579	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	10.90	9.90	5.40	7	H2579
	Jib/No.3, cross cut dacron, 5mm luff, 3 small horz battens, good condition.	10.91	10.30	3.60	8	H2457
	Jib, cross cut dacron, wire luff, fair shape and condition	11.00	10.60	2.55	6	H2348
	Genoa, Norlam tri radial laminate, 7mm luff, white UV to port, fair condition *	11.05	10.50	5.30	5	H2613
H2424	Genoa, cross cut dacron, 5mm luff, white UV to port, foam luff, fair condition	11.05	11.05	5.75	6	H2424
	Light Genoa, cross cut dacron, 5mm luff, good condition	11.06	10.70	6.05	7	H2642
	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	11.08	10.00	5.25	6	H2456
	Genoa, Lt weight, cross cut dacron, 5mm luff, good condition	11.11	10.70	5.90	7	H2425
H2375	Genoa, cross cut dacron, 6mm, fair shape and condition	11.18	10.70	5.40	6	H2375
	Genoa, Liteskin laminate, tri radial, 5mm luff, very good condition	11.20	10.65	5.60	9	H2565
	Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	11.23	10.80	4.70	7	H2417

### Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	<u>LUFF</u>	<b>LEECH</b>	<b>FOOT</b>	<u>Score</u>	ID NO.
<b>H2527</b> No.3, cross c	ut dacron, hanks, fair condition	11.24	10.10	4.63	6	H2527
	cut dacron, hanks, good condition	11.30	10.70	5.45	8	H2623
H2614 Jib, cross cut	dacron, hanks, fair condition	11.34	10.40	3.55	6	H2614
H2501 Jib, heavy we	ather cross cut dacron, hanks, orange hi viz strip, fair condition	11.47	9.70	3.80	6	H2501
H2609 Genoa, cross	cut dacron, 5mm, fair shape and condition	11.50	10.40	5.00	7	H2609
H2518 Genoa, Flex of	double taffeta cross cut laminate, 5mm luff, good condition	11.50	11.40	5.20	9	H2518
H2610 Genoa, mitre	cut dacron,6mm luff, blue UV to port, fair condition	11.55	10.50	7.80	7	H2610
H2438 Genoa, cross	cut dacron, 5mm luff, blue UV to port, fair condition	11.60	10.90	5.95	5	H2438
H2368 Genoa, cross	cut dacron, 5mm, fair shape and condition	11.66	11.40	6.05	6	H2368
H2655 Genoa, cross	cut dacron, 5mm luff, foam luff, black UV to port, fair condition	11.70	11.20	5.60	6	H2655
H2659 Genoa, cross	cut dacron, 5mm luff, blue UV to stbd, fair condition	11.70	11.10	4.05	6	H2659
H2562 Light No.1 Ge	enoa, cross cut dacron, 5mm luff tape, fair condition	11.70	11.30	5.80	6	H2562
H2595 Jib/Staysail, o	cross cut dacron, 5mm luff, blue UV to port, fair condition	11.73	10.54	3.60	6	H2595
H2488 Jib, cross cut	dacron, 5mm luff, good shape and condition	11.75	10.20	4.46	8	H2488
H2534 Genoa, cross	cut dacron, 5mm luff, blue UV to stbd, fair condition	11.86	11.70	4.93	7	H2534
H1962 Ghosting gen	oa, cross cut dacron, hanks, good condition and shape	11.87	11.40	6.25	7	H1962
H2535 Genoa, cross	cut dacron, 5mm luff, blue UV to stbd, fair condition	11.90	11.40	3.80	7	H2535
H2598 Genoa, cross	cut dacron, 5mm luff, fair condition and shape	11.95	10.40	4.40	7	H2598
H2524 Genoa, cross	cut dacron, 5mm luff, blue UV to stbd, fair condition	12.03	11.10	5.95		H2524
H2576 Working Jib,	cross cut dacron, hanks, fair condition	12.10	10.10	5.00	7	H2576
	cut dacron, 5mm luff, blue UV to stbd, good condition	12.10	11.70	4.60	7	H2516
H2564 Genoa, cross	cut dacron, 5mm luff, foam luff, blue UV to stbd, fair condition	12.20	11.70	6.00	7	H2564
H2634 Genoa, cross	cut dacron, 5mm luff, foam luff, blue UV to stbd, fair condition	12.23	11.70	6.00	7	H2634
H2630 Light airs gen	oa, cross cut dacron, hanked luff, fair condition	12.27	12.45	7.80	8	H2630
H2646 Genoa, cross	cut dacron, 5mm luff, blue UV to stbd, fair condition	12.30	11.50	5.70	5	H2646
H2632 Genoa, cross	cut dacron, 5mm luff, white UV to stbd, fair condition	12.30	11.48	5.50	6	H2632
H2510 Genoa, cross	cut dacron, 5mm luff, UV to stbd, fair condition	12.30	12.00	6.00	6	H2510
H2587 Genoa, cross	cut dacron, 5mm luff, white UV to stbd, good condition	12.30	11.60	3.75	8	H2587
H2515 Jib, cross cut	dacron, 8mm luff, blue UV to port, fair shape and condition	12.40	11.60	3.20	6	H2515
H2005 Mylor reacher	r, wire luff, fair condition	12.45	9.65	4.80	6	H2005
H2599 Genoa, cross	cut dacron, 5mm luff, fair condition and shape	12.50	11.70	6.10	6	H2599
H2666 Jib, cross cut	dacron, 5mm luff, white UV to port, fair condition	12.60	11.50	3.80	6	H2666
H2326 Genoa, cross	cut dacron, hanks, fair condition	12.60	12.30	6.60	5	H2326
H2619 Genoa, bi rad	lial cut dacron, 6mm luff, white UV to port, fair condition	12.60	12.00	6.50	7	H2619
H2620 Genoa, cross	cut dacron, 5mm luff, white UV to port, foam luff, fair condition	12.65	12.05	6.60	6	H2620
H2412 Genoa, cross	cut tan dacron, 4mm luff, tan UV to stbd, good condition	12.72	11.20	6.54	6	H2412
H2626 Genoa, cross	cut dacron, 5mm luff, blue UV to stbd, good condition and shape	12.75	12.20	6.45		H2626
H2566 Jib, cross cut	dacron, 5mm luff, blue UV to stbd, good shape and fair condition	12.90	12.30	4.45		H2566
H2504 Genoa, bi-rac	lial dacron, 5mm luff, blue UV to stbd, good condition and shape	13.10	12.50	5.60	7	H2504
	oss cut dacron, 5mm luff, 3 horz battens, fair condition	13.25	12.10	4.26	7	H2635
H2657 Heavy Jib, cre	oss cut dacron, 5mm luff, 4 horz battens, good condition	13.30	11.20	4.40	8	H2657
	dacron, 5mm luff, fair condition	13.53	12.50	4.20	6	H2665

### Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	<u>LUFF</u>	<b>LEECH</b>	<u>FOOT</u>	Score ID N	<u> 10.</u>
H2557	Genoa, cross cut vectran dacron, 5mm luff, stbd UV, fair condition and shape	13.60	12.80	5.90	6 <b>H25</b>	557
H2575	Genoa, cross cut dacron, hanks, fair condition	13.70	12.30	6.45	6 <b>H25</b>	575
H2533	Genoa, bi radial cut dacron, 6mm luff, blue UV to port, fair condition *	13.74	12.40	6.80	4 <b>H25</b>	533
H2602	Jib, tri-radial cruise laminate, 5mm luff, back up grommets, white UV to stbd, good condition	13.95	13.10	4.30	8 <b>H26</b>	602
H2502	Genoa, cross cut dacron, 5mm luff, white UV to stbd, good condition	14.48	13.50	6.50	7 <b>H25</b>	502
H2521	Genoa, tri-radial cruise laminate, 5mm luff, white UV to stbd, good condition and shape	14.55	13.90	5.26	8 <b>H25</b>	521
H2462	Genoa, cross cut dacron, 5mm luff, grey UV to stbd, fair condition	14.80	14.30	7.80	7 <b>H24</b>	462
H2667	Jib, tri-radial grey cruise laminate, 5mm luff, 4 vertical battens, grey UV to stbd, good condition	15.00	14.00	4.90	9 H26	667
H2633	Genoa, tri radial cruise laminate, 5mm luff, white UV to port, fair condition *	15.17	14.60	7.00	5 H26	633
H2555	Genoa, cross cut dacron, zip luff, 3 vertical battens, good condition	15.37	14.45	5.90	8 <b>H25</b>	555
H2664	Jib, cross cut dacron, 5mm luff, 4 battens, good condition	15.60	14.55	4.55	8 H26	664
H2636	Jib, cross cut dacron, 5mm luff, fair condition	15.76	14.80	4.40	7 <b>H26</b>	636
H2656	Genoa, tri radial high cut, 5mm luff, foam luff, white UV to stbd, fair condition	15.90	13.80	6.60	7 <b>H26</b>	656
H2450	Genoa, cross cut dacron, 5mm luff, foam luff, grey UV to stbd, good condition and shape	16.00	14.90	5.20	7 <b>H24</b>	450
H2482	Genoa, cross cut dacron, 5mm luff, white UV to stbd, fair condition	16.20	15.50	7.00	6 <b>H24</b>	482
H2513	Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	16.80	16.00	8.00	6 <b>H25</b>	513
	Yankee, cross cut dacron, 5mm luff, blue UV to port, fair condition	17.20	13.20	6.90	5 <b>H25</b>	
H2663	Self tacking Jib, grey cruise laminate, 5mm luff, grey UV to stbd, fair condition	17.25	16.05	5.10	6 H26	663

All prices are plus VAT