Please call or email for pricing and further details.

ID NO. SAIL DESCRIPTION	<u>LUFF</u>	<u>LEECH</u>	<u>FOOT</u>	Score ID NO.
H2478 Jib, cross cut dacron, hanks/wire luff, good condition	3.40	2.80	1.70	8 H2478
H2009 Jib, cross cut dacron, 5mm luff, good condition	3.50	2.60	1.65	7 H2009
H2337 Jib, tan cross cut dacron, set for hanks, good condition	3.53	3.00	1.80	7 H2337
H2648 Jib, mitre cut, hanks, fair condition	4.00	3.40	1.63	5 H2648
H1805 Jib, cross cut dacron, 8mm luff tape, fair shape and condition	4.10	4.20	2.70	6 H1805
H1836 Genoa, cross cut dacron, 6mm luff tape, Blue UV to port, fair condition and good shape	4.15	3.80	2.20	6 H1836
H1803 Jib, cross cut dacron, wire luff, good condition and shape	4.27	3.72	1.80	7 H1803
H2330 Heavy weather jib, cross cut dacron, 4mm luff, fair condition	4.30	3.55	2.35	6 H2330
H1995 Jib, cross cut dacron, wire luff, fair shape and condition	4.35	4.00	1.65	6 H1995
H2543 Jib, cross cut dacron, wire/hanks, fair condition	4.54	4.25	2.10	6 H2543
H2544 Jib, cross cut dacron, wire/hanks, good condition	4.57	4.25	2.10	8 H2544
H2436 Jib, mitre cut dacron, hank/wire, good condition	4.60	4.25	2.60	5 H2436
H2098 Jib, vertical cut dacron, 6mm luff, Blue UV to port, good condition and shape	4.72	3.55	2.20	7 H2098
H2553 Jib, cross cut dacron, wire/hanks, fair condition	5.10	4.10	2.85	5 H2553
H2397 Jib, Tan mitre cut dacron, hanks, good condition	5.13	3.66	2.45	7 H2397
H1883 Jib, mitre cut dacron, hank/wire, good condition	5.17	3.66	2.50	7 H1883
H2392 Jib, cross cut dacron, hanks, fair condition	5.30	5.10	2.70	5 H2392
H2430 Genoa, cross cut dacron, hanks, fair condition	5.40	4.60	2.85	6 H2430
H2408 Jib, cross cut dacron, hanks, fair condition	5.53	5.04	2.10	5 H2408
H2125 Jib, cross cut, hanks, good condition	5.60	4.90	2.61	7 H2125
H2353 Jib, cross cut hard finish dacron, poppers on luff, good condition	5.60	4.70	2.20	7 H2353
H2407 Jib, mitre cut dacron, wire luff, fair condition	5.90	5.65	3.05	5 H2407
H2323 Genoa, cross cut dacron, hanks, fair condition	6.06	5.26	2.90	6 H2323
H2577 Jib, mitre cut dacron, hank/wire, good condition	6.10	5.20	2.80	8 H2577
H2124 Jib, cross cut dacron, wire/hanks, fair condition	6.10	4.84	2.58	7 H2124
H2358 Jib, cross cut dacron, hanks, fair condition	6.10	5.20	2.90	6 H2358
H2044 Working Jib, cross cut dacron, 6mm luff, fair condition and shape	6.14	4.35	2.83	6 H2044
H2541 Hawk 20 Jib, cross cut dacron, wire luff, blue UV to port, fair condition	6.28	5.80	2.44	6 H2541
H2451 Genoa, cross cut dacron, 5mm luff, fair condition	6.30	4.77	3.54	7 H2451
H2545 Jib, mitre cut dacron, hanks, fair condition	6.30	4.95	2.20	5 H2545
H1851 Jib, mitre cut dacron, good condition & shape	6.33	4.89	3.03	7 H1851
H2593 Genoa, tan cross cut dacron, hanks, good condition	6.35	6.08	2.90	8 H2593
H2549 Genoa, mitre cut dacron, 5mm luff, blue UV to stbd	6.36	4.56	3.10	7 H2549
H2486 Genoa, cross cut cream dacron, 7mm luff, cream UV to port	6.40	5.80	3.10	8 H2486
H2496 Genoa, cross cut dacron, hanks, fair condition	6.53	5.90	2.40	5 H2496
H2628 Genoa, mitre cut dacron, hanks, fair condition	6.55	6.10	3.45	5 H2628
H2338 Jib, red cross cut dacron, hanks, fair condition	6.60	6.20	2.10	5 H2338
H2647 Genoa, cross cut dacron, hanks, fair condition	6.70	6.00	2.65	5 H2647
H2329 Heavy weather jib, cross cut dacron, hanks, fair condition	6.80	5.50	3.15	5 H2329
H1783 Staysail, cross cut dacron, fair condition and shape	6.84	4.53	3.58	6 H1783
H2532 Working Jib, cross cut dacron, 5mm luff, 1 reef, fair condition	6.86	6.00	2.90	7 H2532

Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	<u>LUFF</u>	LEECH	FOOT	<u>Score</u>	ID NO.
H2584 Jib, mitre cut da	cron, hank/wire, good condition	6.90	5.80	2.10	6	H2584
	acron, 4mm luff, fair condition	6.97	5.80	3.23	6	H2021
H2552 Jib, cross cut da	acron, wire/hanks, fair condition	7.00	6.60	3.30	5	H2552
H1885 Jib, mitre cut blu	ue dacron, hanks/wire, fair condition and shape	7.00	5.91	2.76	6	H1885
H2411 Jib, cross cut ta	n dacron, 4mm luff, tan UV to stbd, good condition	7.02	6.00	2.60	6	H2411
H1999 Jib, cross cut da	acron, HF, wire/hanks luff, good condition and shape	7.05	6.47	2.43	7	H1999
H2443 Jib, mitre cut da	acron, hanks, fair condition and shape	7.10	5.80	3.10	5	H2443
H2469 Genoa, cross cu	ut dacron, hanks, 1 reef, fair condition	7.10	7.05	4.10	5	H2469
H2637 Heavy Jib, cros	s cut dacron, Hanks, fair condition	7.10	6.40	2.20	7	H2637
H2551 Jib, cross cut da	acron, 5mm luff with grommets, fair condition	7.30	6.50	2.30	6	H2551
H2629 Jib, mitre cut da	acron, hanks, good condition	7.35	5.60		8	H2629
H2625 Jib/Staysail, cro	ss cut dacron, hanks, good condition	7.42	6.20	3.90	8	H2625
H2603 Genoa, cross cu	ut dacron, hanks, fair condition and shape	7.45	7.15	2.93	6	H2603
H2661 Genoa, cross co	ut dacron, hanks, good condition	7.55	6.05	3.90	6	H2661
H2604 Genoa, cross cu	ut dacron, hanks, fair condition and shape	7.60	7.70	3.55	7	H2604
H2582 Genoa, mitre cu	ut dacron, hanks, fair condition	7.70	7.50	3.85	6	H2582
H2406 Genoa, mitre cu	ut dacron, 8mm luff, fair condition	7.86	8.73	5.95	5	H2406
H2546 Light airs genoa	a, cross cut nylon, hanked luff, fair condition	8.00	7.90	5.10	6	H2546
H2401 Genoa, cross cu	ut dacron, set for hanks, fair condition and shape	8.00	8.25	4.20	6	H2401
H2398 Jib, Tan mitre c	ut dacron, hanks, good condition	8.05	6.80	3.60	7	H2398
	acron, 7mm luff, blue UV to port, good condition	8.05	6.80	2.50	7	H2399
H2290 Jib, Tan cross of	cut dacron, 5mm luff, tan UV to port, good condition	8.30	6.80	2.90	6	H2290
H1874 Genoa, vertical	cut dacron, 5mm luff tape, fair condition and shape	8.34	7.77	2.70	6	H1874
H2578 Jib, cross cut da	acron, 6mm luff, fair condition	8.36	7.45	2.35	6	H2578
H2391 Genoa, cross cu	ut dacron, 5mm luff, blue UV to port, good condition	8.40	7.90	3.26	9	H2391
	acron, luff slides, fair condition and shape	8.40	7.80	4.00	7	H2601
H2583 Heavy weather	jib, mitre cut dacron, hanks/wire, fair condition	8.50	7.30	2.70	6	H2583
H2611 Genoa, cross co	ut dacron, hanks, fair condition	8.90	7.90	4.30	7	H2611
H2550 Jib, cross cut da	acron, wire/hanks, fair condition	8.95	7.40	3.40	5	H2550
H2615 Genoa, cross cu	ut dacron, 5mm luff, blue UV to port, fair condition *	9.00	8.60	4.50	5	H2615
H2394 Genoa, cross cu	ut dacron, hanks, good condition and shape	9.00	8.20	4.10	7	H2394
H1658 Jib, cross cut da	acron, uv strip, wire luff, good condition and shape	9.03	7.68	2.58	7	H1658
H2175 Genoa, cross cu	ut dacron, uv strip, 5mm luff tape	9.05	8.45	3.53	6	H2175
H2617 Genoa, mitre cu		9.06	8.90	4.50	6	H2617
H2592 Genoa, cross cu	ut dacron, 5mm luff, white UV to stbd, fair condition	9.18	8.65	4.50	7	H2592
H2590 Genoa, cross cu	ut dacron, 7mm luff, burgundy UV to port, fair condition	9.20	8.20	5.20	7	H2590
H2344 Genoa, cross cu	ut, hanks, fair shape and condition	9.20	8.80	4.78	5	H2344
	acron, hanks, fair condition	9.20	8.68	2.60	7	H2359
	cut dacron, 5mm luff, good condition	9.20	7.70	4.30	8	H2643
	1, cross cut dacron, hanks, fair condition	9.30	9.15	4.40	5	H2591
	ut dacron, hanks, fair condition	9.35	8.95	5.30	7	H2585
	ut dacron, 6mm luff, burgundy UV to port, fair condition	9.38	8.20	5.20	6	H2660

Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	<u>LUFF</u>	<u>LEECH</u>	FOOT	Score	ID NO.
H2379 Genoa, Lt we	eight, mitre cut dacron, hanks, fair condition	9.40	9.30	5.10	6	H2379
H2498 Jib, cross cut	t dacron, hanks, fair condition	9.40	7.70	4.30	6	H2498
H2509 Genoa, cross	s cut dacron, 5mm luff, blue UV to port, fair condition	9.40	8.70	4.70	6	H2509
H2468 Jib/No.3, cros	ss cut dacron, 6mm luff, fair condition.	9.46	8.20	2.90	7	H2468
H1439 No.3, hanked	d, fair condition	9.52	9.05	4.20	5	H1439
H2536 Genoa, cross	s cut dacron, 5mm luff, blue UV to stbd, fair condition	9.57	8.90	3.75	7	H2536
H2393 Genoa, cross	s cut dacron, hanks, good condition and shape	9.68	9.30	4.55	7	H2393
H2624 Genoa, cross	s cut dacron, hanks, good condition	9.77	9.20	4.60	8	H2624
H2428 Genoa, cross	s cut dacron, 5mm, fair condition	9.78	9.40	4.80	6	H2428
H2308 Genoa, crear	m cross cut dacron, fair condition	9.80	8.80	4.20	7	H2308
H2586 Genoa, cross	s cut dacron, 5mm luff, blue UV to stbd, very good condition	9.85	9.10	5.00	9	H2586
H2668 Genoa, cross	s cut dacron, 6mm luff, new blue UV to port, good condition	9.88	8.80	4.03	7	H2668
	, mitre cut dacron, hanks, fair condition	9.90	8.05	5.50	6	H2631
H2563 Light No.1 G	enoa, mitre cut dacron, 5.5mm luff tape, fair condition	10.00	10.10	5.65	5	H2563
H1043 Yankee, cros	s cut blue dacron, hanks, fair condition and shape	10.05	7.00	4.75	7	H1043
H2572 Genoa, cross	cut dacron, 5mm luff, fair condition	10.15	9.20	4.90	7	H2572
	cut dacron, luff slides, fair condition	10.18	9.50	4.95	6	H2600
H2618 Jib, cross cut	dacron, fair condition	10.37	10.15	2.00	6	H2618
H2645 Genoa, cross	s cut dacron, 5mm luff, blue UV to port, fair condition	10.39	10.10	5.95	5	H2645
H2597 Jib, mitre cut	dacron, hanks, fair condition	10.40	8.80	4.00	6	H2597
H2558 Genoa, cross	s cut dacron, 5mm luff, 1 reef, fair condition *	10.45	9.65	4.80	5	H2558
H2638 Genoa, mitre	cut, 5mm luff, Blue UV to port, fair condition	10.55	9.80	6.07	7	H2638
H2529 Yankee, cros	s cut dacron, 5mm luff, blue UV to port, good condition	10.57	8.83	4.40	8	H2529
H2420 Genoa, cross	s cut dacron, 5mm luff, blue UV to stbd, foam luff, fair condition	10.60	10.10	4.96	6	H2420
	s cut dacron, 6mm luff, fair condition	10.62	10.10	5.70	7	H2571
H2644 Genoa, cross	s cut dacron, 5mm luff, good condition	10.65	9.92	5.20	8	H2644
	s cut square dacron, 5mm luff, UV to stbd, good condition	10.70	10.19	4.90	8	H2465
	, high cut mitre cut dacron, hanks, fair condition	10.73	9.20	5.05	7	H2639
H2627 Jib, cross cut	dacron, New blue UV to stbd, fair condition	10.84	10.00	3.70	6	H2627
H2526 Jib, Heavy w	eather cross cut dacron, hanks, fair condition	10.84	8.60	4.00	6	H2526
H2662 Genoa, cross	s cut dacron, 7mm luff, blue UV to port, fair condition	10.87	10.60	5.60	6	H2662
H2579 Genoa, cross	s cut dacron, 5mm luff, blue UV to port, fair condition	10.90	9.90	5.40	7	H2579
H2457 Jib/No.3, cros	ss cut dacron, 5mm luff, 3 small horz battens, good condition.	10.91	10.30	3.60	8	H2457
H2348 Jib, cross cut	dacron, wire luff, fair shape and condition	11.00	10.60	2.55	6	H2348
H2613 Genoa, Norla	am tri radial laminate, 7mm luff, white UV to port, fair condition *	11.05	10.50	5.30	5	H2613
	s cut dacron, 5mm luff, white UV to port, foam luff, fair condition	11.05	11.05	5.75	6	H2424
H2642 Light Genoa,	cross cut dacron, 5mm luff, good condition	11.06	10.70	6.05	7	H2642
	s cut dacron, 5mm luff, blue UV to stbd, fair condition	11.08	10.00	5.25		H2456
	eight, cross cut dacron, 5mm luff, good condition	11.11	10.70	5.90		H2425
H2375 Genoa, cross	s cut dacron, 6mm, fair shape and condition	11.18	10.70	5.40	6	H2375
	kin laminate, tri radial, 5mm luff, very good condition	11.20	10.65	5.60	9	H2565
	s cut dacron, 5mm luff, blue UV to port, fair condition	11.23	10.80	4.70		H2417

Please call or email for pricing and further details.

ID NO. SAIL DESCRIPTION	<u>LUFF</u>	<u>LEECH</u>	FOOT	Score ID N	NO.
H2527 No.3, cross cut dacron, hanks, fair condition	11.24	10.10	4.63	6 H2 9	527
H2623 Genoa, cross cut dacron, hanks, good condition	11.30	10.70	5.45	8 H2 6	623
H2614 Jib, cross cut dacron, hanks, fair condition	11.34	10.40	3.55	6 H2 6	614
H2501 Jib, heavy weather cross cut dacron, hanks, orange hi viz strip, fair condition	11.47	9.70	3.80	6 H2 !	501
H2609 Genoa, cross cut dacron, 5mm, fair shape and condition	11.50	10.40	5.00	7 H2 6	609
H2518 Genoa, Flex double taffeta cross cut laminate, 5mm luff, good condition	11.50	11.40	5.20	9 H2 !	518
H2610 Genoa, mitre cut dacron,6mm luff, blue UV to port, fair condition	11.55	10.50	7.80	7 H2 6	610
H2438 Genoa, cross cut dacron, 5mm luff, blue UV to port, fair condition	11.60	10.90	5.95	5 H2 4	438
H2368 Genoa, cross cut dacron, 5mm, fair shape and condition	11.66	11.40	6.05	6 H2 :	368
H2655 Genoa, cross cut dacron, 5mm luff, foam luff, black UV to port, fair condition	11.70	11.20	5.60	6 H2 6	655
H2659 Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	11.70	11.10	4.05	6 H26	659
H2562 Light No.1 Genoa, cross cut dacron, 5mm luff tape, fair condition	11.70	11.30	5.80	6 H2	2562
H2595 Jib/Staysail, cross cut dacron, 5mm luff, blue UV to port, fair condition	11.73	10.54	3.60	6 H2 !	595
H2488 Jib, cross cut dacron, 5mm luff, good shape and condition	11.75	10.20	4.46	8 H2 4	488
H2534 Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	11.86	11.70	4.93	7 H2 !	2534
H1962 Ghosting genoa, cross cut dacron, hanks, good condition and shape	11.87	11.40	6.25	7 H19	962
H2535 Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	11.90	11.40	3.80	7 H2 !	535
H2598 Genoa, cross cut dacron, 5mm luff, fair condition and shape	11.95	10.40	4.40	7 H2 !	598
H2524 Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	12.03	11.10	5.95	6 H2 !	524
H2576 Working Jib, cross cut dacron, hanks, fair condition	12.10	10.10	5.00	7 H2 !	576
H2516 Genoa, cross cut dacron, 5mm luff, blue UV to stbd, good condition	12.10	11.70	4.60	7 H2 !	516
H2564 Genoa, cross cut dacron, 5mm luff, foam luff, blue UV to stbd, fair condition	12.20	11.70	6.00	7 H2 !	564
H2634 Genoa, cross cut dacron, 5mm luff, foam luff, blue UV to stbd, fair condition	12.23	11.70	6.00	7 H2 6	634
H2630 Light airs genoa, cross cut dacron, hanked luff, fair condition	12.27	12.45	7.80	8 H26	2630
H2646 Genoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	12.30	11.50	5.70	5 H2 6	646
H2632 Genoa, cross cut dacron, 5mm luff, white UV to stbd, fair condition	12.30	11.48	5.50	6 H2 6	632
H2510 Genoa, cross cut dacron, 5mm luff, UV to stbd, fair condition	12.30	12.00	6.00	6 H2 9	510
H2587 Genoa, cross cut dacron, 5mm luff, white UV to stbd, good condition	12.30	11.60	3.75	8 H2 9	2587
H2515 Jib, cross cut dacron, 8mm luff, blue UV to port, fair shape and condition	12.40	11.60	3.20	6 H2 9	515
H2005 Mylor reacher, wire luff, fair condition	12.45	9.65	4.80	6 H20	2005
H2599 Genoa, cross cut dacron, 5mm luff, fair condition and shape	12.50	11.70	6.10	6 H2 5	599
H2666 Jib, cross cut dacron, 5mm luff, white UV to port, fair condition	12.60	11.50	3.80	6 H26	2666
H2326 Genoa, cross cut dacron, hanks, fair condition	12.60	12.30	6.60	5 H2 3	326
H2619 Genoa, bi radial cut dacron, 6mm luff, white UV to port, fair condition	12.60	12.00	6.50	7 H2 6	619
H2620 Genoa, cross cut dacron, 5mm luff, white UV to port, foam luff, fair condition	12.65	12.05	6.60	6 H2 6	620
H2412 Genoa, cross cut tan dacron, 4mm luff, tan UV to stbd, good condition	12.72	11.20	6.54	6 H2 4	412
H2626 Genoa, cross cut dacron, 5mm luff, blue UV to stbd, good condition and shape	12.75	12.20	6.45	7 H2 6	626
H2566 Jib, cross cut dacron, 5mm luff, blue UV to stbd, good shape and fair condition	12.90	12.30	4.45	6 H2 9	566
H2504 Genoa, bi-radial dacron, 5mm luff, blue UV to stbd, good condition and shape	13.10	12.50	5.60	7 H2 9	504
H2635 Heavy Jib, cross cut dacron, 5mm luff, 3 horz battens, fair condition	13.25	12.10	4.26	7 H2 6	635
H2657 Heavy Jib, cross cut dacron, 5mm luff, 4 horz battens, good condition	13.30	11.20	4.40	8 H26	2657
H2665 Jib, cross cut dacron, 5mm luff, fair condition	13.53	12.50	4.20	6 H2 6	665

Please call or email for pricing and further details.

ID NO.	SAIL DESCRIPTION	<u>LUFF</u>	LEECH	<u>FOOT</u>	Score ID NO.
H2557 G	enoa, cross cut vectran dacron, 5mm luff, stbd UV, fair condition and shape	13.60	12.80	5.90	6 H2557
H2575 G	enoa, cross cut dacron, hanks, fair condition	13.70	12.30	6.45	6 H2575
H2669 Jil	b, cross cut dacron, 5mm luff, blue UV to stbd, good condition	13.80	12.70	4.30	9 H2669
H2533 G	enoa, bi radial cut dacron, 6mm luff, blue UV to port, fair condition *	13.74	12.40	6.80	4 H2533
H2602 Jil	b, tri-radial cruise laminate, 5mm luff, back up grommets, white UV to stbd, good condition	13.95	13.10	4.30	8 H2602
H2502 G	enoa, cross cut dacron, 5mm luff, white UV to stbd, good condition	14.48	13.50	6.50	7 H2502
H2521 G	enoa, tri-radial cruise laminate, 5mm luff, white UV to stbd, good condition and shape	14.55	13.90	5.26	8 H2521
H2462 G	enoa, cross cut dacron, 5mm luff, grey UV to stbd, fair condition	14.80	14.30	7.80	7 H2462
H2667 Jil	b, tri-radial grey cruise laminate, 5mm luff, 4 vertical battens, grey UV to stbd, good condition	15.00	14.00	4.90	9 H2667
H2633 G	enoa, tri radial cruise laminate, 5mm luff, white UV to port, fair condition *	15.17	14.60	7.00	5 H2633
H2555 G	enoa, cross cut dacron, zip luff, 3 vertical battens, good condition	15.37	14.45	5.90	8 H2555
H2664 Jil	b, cross cut dacron, 5mm luff, 4 battens, good condition	15.60	14.55	4.55	8 H2664
H2636 Jil	b, cross cut dacron, 5mm luff, fair condition	15.76	14.80	4.40	7 H2636
H2656 G	enoa, tri radial high cut, 5mm luff, foam luff, white UV to stbd, fair condition	15.90	13.80	6.60	7 H2656
H2450 G	enoa, cross cut dacron, 5mm luff, foam luff, grey UV to stbd, good condition and shape	16.00	14.90	5.20	7 H2450
H2482 G	enoa, cross cut dacron, 5mm luff, white UV to stbd, fair condition	16.20	15.50	7.00	6 H2482
H2513 G	enoa, cross cut dacron, 5mm luff, blue UV to stbd, fair condition	16.80	16.00	8.00	6 H2513
H2594 Ya	ankee, cross cut dacron, 5mm luff, blue UV to port, fair condition	17.20	13.20	6.90	5 H2594
H2663 Se	elf tacking Jib, grey cruise laminate, 5mm luff, grey UV to stbd, fair condition	17.25	16.05	5.10	6 H2663

All prices are plus VAT